

ADVERTISEMENT BOOKING & MATERIAL DEADLINES

Issue	Booking Deadline	Material Deadline
Jan 2022	25-Nov-2021	9-Dec-2021
Feb 2022	24-Dec-2021	7-Jan-2022
Mar 2022	21-Jan-2022	8-Feb-2022
Apr 2022	24-Feb-2022	10-Mar-2022
May 2022	22-Mar-2022	5-Apr-2022
Jun 2022	22-Apr-2022	10-May-2022
Jul 2022	26-May-2022	9-Jun-2022
Aug 2022	28-Jun-2022	12-Jul-2022
Sep 2022	22-Jul-2022	5-Aug-2022
Oct 2022	25-Aug-2022	8-Sep-2022
Nov 2022	27-Sep-2022	11-Oct-2022
Dec 2022	25-Oct-2022	8-Nov-2022

MECHANICAL SPECIFICATIONS

Size	Trimmed	Type Area	Bleed
Full Page	275 x 220 mm	255 x 200 mm	281 x 226 mm
Double-Page Spread*	275 x 440 mm	255 x 420 mm	281 x 446 mm
Two-third (Vertical)	275 x 147 mm	255 x 137 mm	281 x 153 mm
Half-page (Vertical)	275 x 110 mm	255 x 100 mm	281 x 116 mm
Half-page (Horizontal)	135 x 220 mm	125 x 190 mm	141 x 226 mm
One-third (Vertical)	275 x 74 mm	255 x 64 mm	281 x 80 mm

* For DPS ad, a gutter allowance of 5 mm per page is recommended (not applicable for front cover reverse gatefold position)

Technical Specifications on Material Submission

The Advertiser shall submit to SPH Media a PDF/X-1A compliant file before the material deadline. The following list details the main criteria for ad material, but is not intended to be exhaustive.

For further assistance, please contact: Lim Kim Yim, DID: 6319 1565, email: limky@sph.com.sg

1. Format & Compatibility

- 1) A PDF file shall be compliant with the **ISO PDF/X-1a:2001** standard as defined by **ISO 15930-1**, colour value as derived from **Fogra 39L** dataset.
- 2) A PDF file must be embedded with output intent profile, i.e. Art paper – Fogra 39L, Woodfree paper – Fogra 29L
- 3) TAC (Total Area Coverage) for any Rich Blacks and/or graphics must not exceed 330% for art paper or 300% for woodfree paper
- 4) Crop marks must appear on PDF, located at least 3mm away from the trim area.
- 5) The size of a PDF file must comply with the specifications of the respective publication. SPH Media will not be held responsible if any file type or artwork exceeds the type area specified and is trimmed away.
- 6) For Double-page Spread, the type or product shots should be away from gutter area and not split. Any critical cross over should be double imaged across the gutter with an allowance of 5mm from each side of the centre. The spread should carry a minimum 10mm common image through the centre of the spread.
- 7) A PDF file must not contain annotations that are set to print.
- 8) A PDF file must not use layers.

- 9) No object in a PDF file shall be transparent.
- 10) When transparency is used, it must be flattened in the PDF.

2. Images

- 1) Resolution for color and grey scale images should not be below 300dpi.
- 2) Resolution of 1-bit images (either regular images or image masks) shall not be below 550 dpi.
- 3) Do not use JPEG2000 image compression to reduce file size when exporting PDF files from programs such as InDesign.

3. Colour

- 1) Color Space must be defined accurately as intended to print (CMYK or Grayscale). When a Pantone/Spot color is required, special arrangement must be made for booking and printing.
- 2) RGB colour must not be used in the PDF.
- 3) Black text shall be in 100% black. To avoid misregistration, rich black (4c black) text is not recommended.
- 4) Fine black text (below 12 point) on 4 colour background must be set to "overprint"
- 5) Coloured text, white text and lines must be set to "knock out".
- 6) Coloured text with a black drop shadow on colour background should be set to "overprint".

4. Fonts Treatment

- 1) Only PostScript Type 1, TrueType & Open Type are accepted. Avoid using multiple master fonts in one PDF.
- 2) Ensure that all fonts are embedded in the PDF, or convert fonts to outlines to prevent file error.
- 3) All text should be above 8 points for readability. To minimize misregistration, reverse text is recommended to be above 10 points with no more than two colors.

5. File Name

- 1) Use only alphabet, numbers and underscore "_".
- 2) For easy identification, file name should contain Advertiser name, Magazine Title, Issue Date.
- 3) In case of revisions, when delivering new files, please name as follows:
R1_filename, R2_filename, and so on.
- 4) PDF should include date and time information.

6. Fogra Standard:

For the purpose of communicating the standard to all parties involved in magazine printing workflow. We have adopted Fogra standard as the prerequisite for advertisements materials for our magazine titles. Colour proofs are not required.

SPH Media shall not be responsible for any erroneous reproduction of the advertisement copy if the Advertiser of Agency fails to comply with the prerequisite of file stated in the technical specifications during the production of the advertisement copy or file submission. The technical specifications may be varied and amended by SPH Media from time to time.

Electronic File Transmission (EFT)

Only Advertisement materials submitted via two appointed vendors#Adstream's Quickcut and Datamation's EADS could be accepted by SPH Media. They provide a fast and economical solution to validate and transmit files electronically to SPH Media according to the required technical specifications at a small fee.

As our advertisers, you will enjoy special rates from the appointed vendors. For more information or to set up an account, please contact the following persons:

1. Quickcut

Lorna Soh at +65 6327 7255 or email at

info@adstream-sg.com

[Adstream Help Centre <support@adstream.zendesk.com>](mailto:support@adstream.zendesk.com)

2. EADS

Cindy Tan at +65 6270 0008 or email at cindy.tan@datamation.com.sg

Raymond Tang at +65 6270 0008 or email at raymond@datamation.com.sg

We welcome other material submission options if the material complies with SPH Media's technical specifications.

